	Type	L #	Hits	Search Text	DBs
1	BRS	L1	3	"2002329800"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	422188	(suppressing or suppress or eliminate or eliminating or shifted or diminished or diminishing) same (semiconductor or circuit or circuitry or circuitries)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1346	2 same slot same ground	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	20	3 and (343/700ms or 343/767 or 343/770).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	5478	2 same (slot or slit or aperture or opening) same ground	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	34	5 and (343/700ms or 343/767 or 343/770 or 343/846).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	23	6 and @ad<="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	354923	(frame or housing) with (conductive or metal or metallic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	2501	8 same (ground with plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	39	9 same (slot or slit or aperture or opening) same antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	22	10 and @ad<="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	15979	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L14	3095	2 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	515	14 same ground	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	37	15 same antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L17	7	16 and @ad<="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	96	15 same (lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	16	18 and @ad<="20031114"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB